

Official

4070-317 CIP

*FAX RECEIVED
MAY 30 2000
GROUP 1700*IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re United States Patent Application of:)	
)	
Applicants:	Jose I. Arno, et al.)
)	
Application No.:	09/212,107)
)	
Date Filed:	December 15, 1998)
)	
Title:	Apparatus and Method for Point-of- Use Treatment of Effluent Gas Streams)
)	

Group Art Unit: 1754

Examiner: N. Nguyen

Facsimile Transmission Certificate

I hereby certify that this paper is being filed this date in the U.S. Patent and Trademark Office via facsimile transmission to Patent and Trademark Office Group 1700 facsimile machine at (703) 305-3599, and addressed to Assistant Commissioner for Patents, Washington, DC 20231.

Facsimile Number: (703) 305-3599 Number of Pages Transmitted: 2

Steven J. Hultquist

May 30, 2000

Date of Facsimile Transmission

PETITION FOR EXTENSION OF TIME FOR RESPONSE TO MARCH 28, 2000 OFFICE ACTION IN U.S. APPLICATION 09/212,107

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

In connection with the concurrently filed response to the Office Action dated March 28, 2000 in the above-identified patent application, as transmitted via separate facsimile transmittal, petition hereby is made under the provisions of 37 CFR 1.136 for a one (1) month extension of the term set in the March 28, 2000 Office Action, extending the deadline for response to May 30, 2000 (in consequence of May 28 being a Sunday and May 29 being Memorial Day, a Federal holiday).

BEST AVAILABLE COPY

The fee of \$110 specified in 37 CFR 1.17 for this petition for a one month extension, together with any other charge or fee properly payable in connection with the concurrent filing of a response to the March 28, 2000 Office Action, is directed to be charged to Deposit Account No. 08-3284 of Intellectual Property/Technology Law.

Respectfully submitted,



Steven J. Hultquist
Reg. No. 28021
Attorney for Applicants

**INTELLECTUAL PROPERTY/
TECHNOLOGY LAW
P.O. Box 14329
Research Triangle Park, NC 27709
(919) 419-9350**

Attorney File: 4070-317 CIP

BEST AVAILABLE COPY